# elf atochem

## **MANEB 80 WP Fungicide**

-Material Safety Data Sheet-Elf Atochem North America, Inc.

### 1 PRODUCT AND COMPANY IDENTIFICATION

Agrichemicals Group EMERGENCY PHONE NUMBERS:

Elf Atochem North America, Inc.

Chemtrec: (800) 424-9300 (24hrs) or (703) 527-3887

Medical: Rocky Mountain Poison Control Center

2000 Market St. Medical: Rocky Mountain Poison Co Philadelphia, PA 19103-3222 (303) 623-5716 (24Hrs)

Information Telephone Numbers Phone Number Available Hrs

 R&D Technical Service
 610-878-6100
 8:00am to 5:00pm EST

 Customer Service
 1-800-438-6071
 8:00am - 5:00 pm EST

Product Name MANEB 80 WP Fungicide

Product Synonym(s)

Chemical Family Dithiocarbamate
Chemical Formula (C4H6MnN2S4) x

Chemical Name Manganese Ethylene Bis(Dithiocarbamate) (Polymeric)

EPA Reg Num 4581-255 Product Use Fungicide

### 2 COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient Name	CAS RegistryNumber	Typical Wt. %	% OSHA
Maneb	12427-38-2	80.0	Y
Ethylene thiourea	96-45-7	Trace	Υ

The substance(s) marked with a "Y" in the OSHA column, are identified as hazardous chemicals according to the criteria of the OSHA Communication Standard (29 CFR 1910.1200)

## 3 HAZARDS IDENTIFICATION

**Emergency Overview** 

Light to grayish-yellow powder, slight fishy odor.

**CAUTION!** 

KEEP OUT OF REACH OF CHILDREN.

HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN.

Avoid contact with eyes, skin and clothing. Avoid breathing spray mist or dust. MAY CAUSE ALLERGIC SKIN REACTION.

MAY CAUSE THYROID DAMAGE AFTER REPEATED EXPOSURE BASED ON ANIMAL DATA

# **Potential Health Effects**

Inhalation and skin contact are expected to be the primary routes of occupational exposure to this material. Based on single exposure animal tests, it is considered to be practically non-toxic if swallowed, no more than slightly toxic if absorbed through skin, practically non-toxic if inhaled and slightly irritating to eyes and skin. Inhalation may be moderately irritating to the respiratory tract. Repeated exposure may cause an allergic skin reaction. Repeated or long-term exposure may cause adverse effects on the thyroid.

Product Code: 12-255 Revision: 1 Issued: 12 JUL 2000 Page 1 of 7

-Material Safety Data Sheet-Elf Atochem North America, Inc.

## 4 FIRST AID MEASURES

IF IN EYES, Flush eyes with plenty of water. Call a physician if irritation persists.

IF ON SKIN, Wash with plenty of soap and water. Get medical attention if irritation persists.

IF SWALLOWED, Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting.

IF INHALED, Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. Get medical attention.

### **5 FIRE FIGHTING MEASURES**

#### Fire and Explosive Properties

Auto-Ignition Temperature NA
Flash Point NA Flash Point Method

Flammable Limits- Upper NA Lower NA

### **Extinguishing Media**

Use carbon dioxide, dry chemical, foam. If material becomes wet, it will deteriorate and become a fire hazard.

## **Fire Fighting Instructions**

Fire fighters and others who may be exposed to products of combustion should wear full fire fighting turn out gear (full Bunker Gear) and self-contained breathing apparatus (pressure demand NIOSH approved or equivalent). Fire fighting equipment should be thoroughly decontaminated after use.

If stored material becomes wetted or damp it can produce heat and deteriorate, over time, to become a fire hazard.

### Fire and Explosion Hazards

Avoid breathing fumes from fire exposed material. If material becomes wet, it will deteriorate and become a fire hazard.

## **6 ACCIDENTAL RELEASE MEASURES**

### In Case of Spill or Leak

Contain spill. Sweep or scoop up and remove to suitable container. Flush with water. Prevent spilled product from entering sewers or natural water. Consult a regulatory specialist to determine appropriate state or local reporting requirements, for assistance in waste characterization and/or hazardous waste disposal and other requirements listed in pertinent environmental permits.

### 7 HANDLING AND STORAGE

Product Code: 12-255 Revision: 1 Issued:12 JUL 2000 Page 2 of 7

-Material Safety Data Sheet-Elf Atochem North America, Inc.

#### 7 HANDLING AND STORAGE

### Handling

Wash thoroughly after handling. Use only with adequate ventilation.

Do not get in eyes, on skin or on clothing.

Do not breathe dust.

Keep container closed. Keep away from heat, sparks and flame.

Empty container may contain hazardous residues. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. This pesticide is toxic to fish. Do not apply directly to water or wetlands. Do not apply directly to water by cleaning of equipment or disposal of wastes.

### **Storage**

Do not store in a manner where cross-contamination with pesticides, fertilizers, food or feed could occur. If heated to decomposition (>235 F), flammable ethylene is produced. Store in a cool, dry place. If stored material becomes wetted or damp it can produce heat and deteriorate, over time, to become a fire hazard.

### 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

### **Engineering Controls**

Investigate engineering techniques to reduce exposures. Provide ventilation if necessary to minimize exposures. If practical, use local mechanical exhaust ventilation at sources of air contamination such as open process equipment. Consult ACGIH ventilation manual or NFPA Standard 91 for design of exhaust systems.

# Eye / Face Protection

Where there is potential for eye contact, wear chemical goggles and have eye flushing equipment available.

## **Skin Protection**

Minimize skin contamination by following good industrial hygiene practice. Wearing rubber gloves is recommended. Wash hands and contaminated skin thoroughly after handling.

## **Respiratory Protection**

Where airborne exposure is likely, use NIOSH approved respiratory protection equipment appropriate to the material and/or its components. If exposures cannot be kept at a minimum with engineering controls, consult respirator manufacturer to determine appropriate type equipment for a given application. Observe respirator use limitations specified by NIOSH or the manufacturer. For emergency and other conditions where there may be a potential for significant exposure, use an approved full face positive-pressure, self-contained breathing apparatus or positive-pressure airline with auxiliary self-contained air supply. Respiratory protection programs must comply with 29 CFR § 1910.134.

# Airborne Exposure Guidelines for Ingredients

Exposure Limit		Value	Value	
Maneb				
ACGIH TWA	-As manganese	0.2 mg/m3		

ACGIH TWA -As manganese 0.2 mg/m3
OSHA Ceiling PEL -As manganese 5 mg/m3

Product Code: 12-255 Revision: 1 Issued: 12 JUL 2000 Page 3 of 7

<sup>-</sup>Only those components with exposure limits are printed in this section.

<sup>-</sup>Skin contact limits designated with a "Y" above have skin contact effect. Air sampling alone is insufficient to accurately quantitate exposure. Measures to prevent significant cutaneous absorption may be required.

<sup>-</sup>ACGIH Sensitizer designator with a value of "Y" above means that exposure to this material may cause allergic reactions.

-Material Safety Data Sheet-Elf Atochem North America, Inc.

## 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Odor Light to grayish-yellow powder, slight fishy odor.

pH 7-9 (1% in distilled H2O)

Specific Gravity 0.45- 0.65 g/ml
Vapor Pressure negligible
Vapor Density NA

Melting Point Decomposes before melting

Freezing Point NA
Boiling Point NA
Solubility In Water soluble

Solubility in Other Materials Insoluble in most organic

Evaporation Rate N/A
Percent Volatile N/A

Other Physical Data Pour density: 370-420 kg/m3

Tap density: 540-560 kg/m3

### 10 STABILITY AND REACTIVITY

### Stability

This material is chemically stable under normal and anticipated storage and handling conditions.

## **Hazardous Polymerization**

Does not occur.

### Incompatibility

Strong acids, strong oxidizers, quarternary ammonium salts, and EDBC sequestering agents.

## **Hazardous Decomposition Products**

Upon thermal decomposition, leads to hydrogen sulfide, sulfur oxides, nitrogen and carbon oxides, and carbon disulfide.

Ethylene thiourea (ETU)\* upon decomposition

\*= see Section 16

### 11 TOXICOLOGICAL INFORMATION

## **Toxicological Information**

Data on this material and/or its components are summarized below. Maneb

Single exposure (acute) studies indicate that this material is practically non-toxic if swallowed (rat LD50 >5,000 mg/kg), no more than slightly toxic if absorbed through skin (rabbit LD50 >2,000 mg/kg), practically non-toxic if inhaled (rat 4-hr LC50 5.34-7.38 mg/l) and slightly irritating to rabbit eyes and skin. Skin allergy has been observed in guinea pigs following repeated exposure. Repeated and long-term oral administration produced adverse effects on the thyroid in mice, rats and dogs. Long-term oral administration produced an increased incidence of lung tumors in mice of one strain, but not in three other strains. No effects were seen on the ability of male or female rats to reproduce when exposed orally for multiple generations, although adverse effects were noted in the liver and thyroid. Developmental delays, but no birth defects, were observed in the offspring of rats exposed orally during pregnancy, but only at doses which produced adverse effects on the mothers. No genetic

Product Code: 12-255 Revision: 1 Issued:12 JUL 2000 Page 4 of 7

-Material Safety Data Sheet-Elf Atochem North America, Inc.

## 11 TOXICOLOGICAL INFORMATION

changes were observed in tests using bacteria, animal cells or animals.

#### 12 ECOLOGICAL INFORMATION

### **Ecotoxicological Information**

#### Maneb

This material is moderately toxic to guppies (96-hr LC50 3.7 mg/l), Daphnia magna (48-hr LC50 1 mg/l) and algae (96-hr EC50 3.2 mg/l). No effects were seen on the ability of Bobwhite quails or mallard ducks to reproduce following oral exposure.

### **Chemical Fate Information**

Maneb

This material has a 28-day BOD of 33%.

## 13 DISPOSAL CONSIDERATIONS

### **Waste Disposal**

Recover, reclaim or recycle when practical. Dispose of in accordance with federal, state and local regulations. Dispose of solid waste at properly permitted landfills observing all local, state and federal regulations. Contaminated liquids should be concentrated and incinerated at a properly permitted disposal site again observing all local, state and federal regulations.

### 14 TRANSPORT INFORMATION

DOT Name Environmentally hazardous substances, solid, n.o.s.

DOT Technical Name Maneb
DOT Hazard Class 9
UN Number 3077
DOT Packing Group PG III

RQ

Marine Pollutant yes

DOT Special Information Maneb 80WP, when shipped in the U.S.A. can be shipped as Agricultural

Fungicide, Solid, Not Regulated by DOT.

### 15 REGULATORY INFORMATION

## Hazard Categories Under Criteria of SARA Title IIII Rules (40 CFR Part 370)

 Immediate (Acute) Health
 Y
 Fire
 N

 Delayed (Chronic) Health
 Y
 Reactive
 N

 Sudden Release of Pressure
 N

Ingredient Related Regulatory Information:

SARA Reportable Quantities CERCLA RQ SARA TPQ

Product Code: 12-255 Revision: 1 Issued:12 JUL 2000 Page 5 of 7

-Material Safety Data Sheet-Elf Atochem North America, Inc.

SARA Reportable QuantitiesCERCLA RQSARA TPQManebNENEEthylene thiourea10 lbs.NE

### SARA Title III, Section 313

This product does contain chemical(s) which are defined as toxic chemicals under and subject to the reporting requirements of, Section 313 of Title III of the Superfund Ammendments and Reauthorization Act of 986 and 40 CFR Part 372. See Section 2

Ethylene thiourea

Maneb

### California Prop 65 - Carcinogen

This product does contain the following chemical(s), as indicated below, currently on the California list of Known Carcinogens.

Ethylene thiourea

Maneb

## California Prop 65 - Developmental Toxin

This product does contain the following chemical(s), as indicated below, currently on the California List of Developmental Toxins. Ethylene thiourea

### Massachusetts Right to Know

This product does contain the following chemicals(s), as indicated below, currently on the Massachusetts Right to Know Substance List

Ethylene thiourea

Maneb

## **New Jersey Right to Know**

This product does contain the following chemical(s), as indicated below, currently on the New Jersey Right-to-Know Substances List. Ethylene thiourea

Maneb

### Pennsylvania Environmental Hazard

This product does contain the following chemical(s), as indicated below, currently on the Pennsylvania Environmental Hazard List. Ethylene thiourea

Maneb

# Pennsylvania Right to Know

This product does contain the following chemical(s), as indicated below, currently on the Pennsylvania Hazardous Substance List. Ethylene thiourea

Maneb

## Pennsylvania Special Hazard

This product does contain the following chemical(s), as indicated below, currently on the Pennsylvania Special Hazard List. Ethylene thiourea

### **16 OTHER INFORMATION**

### **Revision Information**

Revision Date 12 JUL 2000 Revision Number 1

Supercedes Revision Dated

## **Revision Summary**

Updated to system

Kev

NE= Not Established NA= Not Applicable (R) = Registered Trademark

Product Code: 12-255 Revision: 1 Issued: 12 JUL 2000 Page 6 of 7

-Material Safety Data Sheet-Elf Atochem North America, Inc.

#### Miscellaneous

ETU, a trace contaminant and breakdown product of Maneb 80WP, has been categorized as a probable human carcinogen by IARC, and as a group b carcinogen by NTP. ETU has also caused birth defects in laboratory animals.

Conditions to avoid: Elevated temperature, moisture and oxygen breakdown the product and induce flammable and toxic gases.

Dust explosion limits in air: 125 g/m3

Explosive properties: Due to the chemical structure, no explosion reaction is anticipated.

Elf Atochem North America, Inc. believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY, OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specific product designated and may not be valid where such product is used in combination with any other materials or in any process. Further, since the conditions and methods of use are beyond the control of Elf Atochem, Elf Atochem expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.

Product Code: 12-255 Revision: 1 Issued:12 JUL 2000 Page 7 of 7