

**1 PRODUCT AND COMPANY IDENTIFICATION****Agrichemicals Group**

Elf Atochem North America, Inc.
2000 Market St.
Philadelphia, PA 19103-3222

EMERGENCY PHONE NUMBERS:

Chemtrec: (800) 424-9300 (24hrs) or (703) 527-3887
Medical: Rocky Mountain Poison Control Center
(303) 623-5716 (24Hrs)

Information Telephone Numbers	Phone Number	Available Hrs
R&D Technical Service	610-878-6100 610-878-6486	8:00am to 5:00pm EST
Customer Service	1-800-438-6071	8:00am - 5:00 pm EST
Agichemicals Group		
Product Safety	215-419-5094	8:00 a.m. - 5:00 p.m.
Product Name	TOPSIN M WSB	
Product Synonym(s)		
Chemical Family	Thioallophanate	
Chemical Formula	C12H14N4O4S2	
Chemical Name	CAS Name = dimethyl [1,2-PhenyleneBis (iminocarbonothioyl)bis [carbamate] IUPAC Name = dimethyl 4,4'-(o-phenylene)bis(3-thioallophanate)	
EPA Reg Num	4581-377	
Product Use	Fungicide	

2 COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient Name	CAS RegistryNumber	Typical Wt. %	OSHA
Thiophanate-methyl	23564-05-8	70	Y

The substance(s) marked with a "Y" in the OSHA column, are identified as hazardous chemicals according to the criteria of the OSHA Communication Standard (29 CFR 1910.1200)

3 HAZARDS IDENTIFICATION**Emergency Overview**

Fine, light tan powder with faint sulfur odor
CAUTION!

KEEP OUT OF REACH OF CHILDREN.

HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN.

CAUSES EYE IRRITATION.

MAY CAUSE THYROID & LIVER DAMAGE AFTER REPEATED EXPOSURE BASED ON ANIMAL DATA

MAY CAUSE ALLERGIC SKIN REACTION.

Avoid contact with eyes, skin and clothing. Avoid breathing dust.

Potential Health Effects

Inhalation and skin contact are expected to be the primary routes of occupational exposure to this material. Based on single exposure animal tests, it is considered to be practically non-toxic if swallowed, no more than slightly toxic if absorbed through skin, slightly toxic if inhaled, non-irritating to skin and slightly irritating to eyes. Repeated exposure may cause an allergic skin reaction. Repeated or long-term exposure may cause adverse effects on the liver or thyroid.

4 FIRST AID MEASURES

IF IN EYES, Flush eyes with plenty of water. Call a physician if irritation persists.

IF ON SKIN, Wash with plenty of soap and water. Get medical attention if irritation persists.

IF SWALLOWED, Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting.

IF INHALED, Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. Get medical attention.

5 FIRE FIGHTING MEASURES

Fire and Explosive Properties

Auto-Ignition Temperature	N/A	
Flash Point	N/A	Flash Point Method
Flammable Limits- Upper	N/A	
Lower	N/A	

Extinguishing Media

Use water spray, carbon dioxide, foam or dry chemical.

Fire Fighting Instructions

Fire fighters and others who may be exposed to products of combustion should wear full fire fighting turn out gear (full Bunker Gear) and self-contained breathing apparatus (pressure demand NIOSH approved or equivalent). Fire fighting equipment should be thoroughly decontaminated after use.

Fire and Explosion Hazards

None known.

6 ACCIDENTAL RELEASE MEASURES

In Case of Spill or Leak

Contain spill. Sweep or scoop up and remove to suitable container. Flush with water. Prevent spilled product from entering sewers or natural water. Consult a regulatory specialist to determine appropriate state or local reporting requirements, for assistance in waste characterization and/or hazardous waste disposal and other requirements listed in pertinent environmental permits.

7 HANDLING AND STORAGE

7 HANDLING AND STORAGE

Handling

Wash thoroughly after handling. Keep container closed. Use only with adequate ventilation.

Do not get in eyes, on skin or on clothing.

Do not breathe dust.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. This pesticide is toxic to fish. Do not apply directly to water or wetlands. Do not apply directly to water by cleaning of equipment or disposal of wastes.

Storage

This material is not hazardous under normal storage conditions; however, material should be stored in closed containers, in a secure area to prevent container damage and subsequent spillage.

8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls

Investigate engineering techniques to reduce exposures below airborne exposure limits. Provide ventilation if necessary to control exposure levels below airborne exposure limits (see below). If practical, use local mechanical exhaust ventilation at sources of air contamination such as open process equipment. Consult ACGIH ventilation manual or NFPA Standard 91 for design of exhaust systems.

Eye / Face Protection

Where there is potential for eye contact, wear chemical goggles and have eye flushing equipment immediately available.

Skin Protection

Minimize skin contamination by following good industrial hygiene practice. Wearing rubber gloves is recommended. Wash hands and contaminated skin thoroughly after handling.

Respiratory Protection

Where airborne exposure is likely, use NIOSH approved respiratory protection equipment appropriate to the material and/or its components. If exposures cannot be kept at a minimum with engineering controls, consult respirator manufacturer to determine appropriate type equipment for a given application. Observe respirator use limitations specified by NIOSH or the manufacturer. For emergency and other conditions where there may be a potential for significant exposure, use an approved full face positive-pressure, self-contained breathing apparatus or positive-pressure airline with auxiliary self-contained air supply. Respiratory protection programs must comply with 29 CFR § 1910.134.

Airborne Exposure Guidelines for Ingredients

The components of this product have no established Airborne Exposure Guidelines

-Only those components with exposure limits are printed in this section.

-Skin contact limits designated with a "Y" above have skin contact effect. Air sampling alone is insufficient to accurately quantitate exposure. Measures to prevent significant cutaneous absorption may be required.

-ACGIH Sensitizer designator with a value of "Y" above means that exposure to this material may cause allergic reactions.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Odor	Fine, light tan powder with faint sulfur odor
pH	
Specific Gravity	N/A
Vapor Pressure	7.12 X 10 ⁻⁸ mmHg (technical)
Vapor Density	NE
Melting Point	172 C with decomposition
Freezing Point	N/A
Boiling Point	N/A
Solubility In Water	Insoluble
Evaporation Rate	N/A
Percent Volatile	N/A

10 STABILITY AND REACTIVITY

Stability

This material is chemically stable under normal and anticipated storage and handling conditions.

Hazardous Polymerization

Does not occur.

Incompatibility

Strong oxidizers.

Hazardous Decomposition Products

N/A

11 TOXICOLOGICAL INFORMATION

Toxicological Information

Data on this material and/or its components are summarized below. Single exposure (acute) studies indicate:

Oral - Practically Non-toxic to Rats (LD50 >5,000 mg/kg)

Dermal - No More than Slightly Toxic to Rabbits (LD50 >2,000 mg/kg)

Inhalation - Slightly Toxic to Rats (4-hr LC50 1.8 mg/l)

Skin Irritation - Non-irritating to Rabbits

Eye Irritation - Slightly Irritating to Rabbits

Skin allergy was observed in guinea pigs following repeated exposure. Repeated or long-term oral administration produced effects on the thyroid, liver or kidneys in rats, mice or dogs. An increased incidence of liver tumors was observed in mice and thyroid tumors were observed in male rats following long-term oral exposure. No effects were seen on the ability of male or female rats to reproduce when exposed orally for 2 successive generations. No birth defects were observed in the offspring of rats exposed orally during pregnancy. In rabbits, developmental toxic effects were noted only at maternally toxic doses. No genetic changes were observed in tests using animal cells.

12 ECOLOGICAL INFORMATION

16 OTHER INFORMATION

Revision Information

Revision Date 13 MAR 2000 Revision Number 1
Supercedes Revision Dated

Revision Summary

Update MSDS onto system

Key

NE= Not Established NA= Not Applicable (R) = Registered Trademark

Elf Atochem North America, Inc. believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY, OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specific product designated and may not be valid where such product is used in combination with any other materials or in any process. Further, since the conditions and methods of use are beyond the control of Elf Atochem, Elf Atochem expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.